

INTRODUCTION

Award-winning awnings from SunnCamp



For more than forty-three years, SunnCamp has been at the forefront of designing and manufacturing caravan awnings, motor awnings, tents, trailer tents and a wide range of outdoor products. Our decades of expertise ensure that every item we produce is thoughtfully engineered, dependable, and offers outstanding value—perfectly tailored for your adventures.

Camping and Caravanning Club Owner Satisfaction Awards

We are delighted to share that SunnCamp continues to earn exceptional recognition within the Outdoor Leisure Industry. In 2025, we proudly received the award for **“Best Caravan Porch Awnings”** and achieved **Highly Commended** status in the **“Best Full Awnings”** category. These accolades are a testament to our commitment to quality, innovation, and customer satisfaction.



2

INDEX

- 2** Introduction/Index
- 3** SunnCamp Fabrics
- 4** Air Volution Inflation Technology/Pole Volution Frame System
- 5** Light up your SunnCamp World
- 6-7** Premium Accessories
- 8-9** Premium Accessories to complete your SunnCamp set-up
- 10-13** Single Inflation Full Touring Awnings
- 14-17** Single Inflation Caravan Porch Awnings
- 18-26** Multi Inflation Caravan Porch Awnings/Sun Canopies
- 27** Buckle-Fit Sun Canopy PLUS/Buckle-Fit Sun Canopy
- 28-29** Pole Volution Full Touring Awning
- 30-41** Pole Volution Caravan Porch Awnings/Sun Canopies
- 42-43** Multi Inflation Motor/Van Porch Awnings
- 44-49** Pole Volution Motor/Van Porch Awnings/Sun Canopies
- 50** Pole Volution Tents
- 51** Pole Volution Utility Tents
- 52** Windbreaks
- 53-54** Essential Camping and Caravan Accessories
- 55** Air Volution/Pole Volution Spares and Replacement Parts

FABRICS

Innovative fabrics designed to support your outdoor adventure

ACE-TECH 75D/150D FABRIC



Our **ACE-TECH** fabric is available in a range of weights and is coated with multiple layers of a specialised PU waterproof treatment. Each layer is evenly and precisely applied to ensure long-lasting protection from the elements. Our **75D ACE-TECH** fabric is a polyester-based material and our **150D ACE-TECH** fabric is an oxford-based material.

PRO-TEK 300D FABRIC



Developed by SunnCamp's technical team, our **PRO-TEK 300D** fabric is a high-density, super-strength 300-denier material that delivers exceptional durability. It offers over four times the tensile strength of standard 75D fabric. Continuous improvements in weaving and coating technology allow us to apply our waterproof layers evenly, maintaining the fabric's flexibility, softness, and ability to hold its shape. The result is a robust, high-performance fabric that provides outstanding protection.

PRO-TEK 300D ERP FABRIC (Enhanced Roof Profile)



Our **PRO-TEK 300D ERP** roof fabric combines durability and style, elevating both the appearance and performance of our products. Made from high-density, super-strong 300-denier material, its patterned finish not only enhances the overall design but also creates a warm, inviting atmosphere.

150D OXFORD RIPSTOP FABRIC



A high-quality fabric providing improved protection from the weather and UV light. The ripstop fabric has been woven using a special reinforcing technique where reinforcement threads are woven at regular intervals in a crosshatch pattern making the fabric more resistant to tearing.

ACE-TECH



PRO-TEK 300D ERP



PRO-TEK 300D



3

AIR VOLUTION TECHNOLOGY/POLE VOLUTION FRAME SYSTEM

AIR VOLUTION

Effortless pitching, reliable structure

SunnCamp's Air Volution Systems are designed to make set up and take down easier. Instead of traditional poles, our Air Volution models use durable inflatable air tubes protected by a reinforced double-layer sleeve. Once inflated and guyed, the Air Volution frame creates a stable, supportive structure.

Simple, Smooth Setup

To pitch your Air Volution product, attach the inflator pump to the air-tube valves and inflate to the recommended 7 psi. Close the valves, secure the guy lines, and you are ready to start your adventure.

Single Inflation System

With several valves available, all the air frame's structural beams inflate together from a single inflation point. Once inflated, the internal isolation valves should be closed to ensure correct operation and to isolate each beam.

Multi Inflation System

Each air beam has its own dedicated inflation point and is inflated independently.

Air Volution Advantages

- Quick, easy pitching and pack-down.
- Strong, low-maintenance inflatable tubes replace traditional poles.
- Many models can be comfortably pitched by one person.
- Provides a stable and supportive frame.

POLE VOLUTION

Easy, efficient set-up

Pole Volution represents SunnCamp's advanced approach to poled awnings and tents. With 43 years of experience in designing and manufacturing camping products, every Pole Volution product is thoughtfully engineered to deliver dependable performance, combining modern styling with the trusted stability of a traditional poled design.

Carefully engineered frames and high-quality materials ensure reliable use, including:

- **Reliable structure** – robust poles and reinforced connections help keep your awning secure in a wide range of conditions.
- **Straightforward setup** – designed for smooth, efficient assembly.
- **Durable performance** – built to deliver.
- **Modern design** – clean lines and a contemporary look that complements today's caravans.

Whether you're a weekend adventurer or a long-term traveller, **Pole Volution** brings innovation and reliability together.



**Air
Volution**

**Pole
Volution**

LIGHT UP YOUR SUNNCAMP WORLD

See www.sunncamp.co.uk – Available to purchase from your Supplying Dealer

DUAL COLOUR LED LIGHTING SYSTEM

Our LED Lighting System is compatible with the integral PVC pockets built into most of our Air Volution products' storm bars. It is also compatible with our Pole Volution products, where attachment is via the magnets or cable ties supplied. For inflatable products that do not have storm bars with integral PVC pockets – or where additional lighting is required – you may purchase our optional storm bar sets with integral PVC pockets (see individual product entries for availability and codes) or LED Light Sleeves (DT0101), which can be zipped onto your product's inflatable storm bars.

OPTIONAL STORM BAR SETS

Where available, optional storm bar sets include integral PVC pockets compatible with our LED Lighting System. (See individual entries for details).


OPTIONAL LED LIGHT SLEEVES (DT0101)

If you have an older SunnCamp Air Volution product or model where the storm bars do not include integral PVC pockets, our LED Light Sleeves provide a solution. These sleeves simply zip onto your existing storm bars.

OPTIONAL LED LIGHTING SYSTEM

STARTER PACK (EL3001)

- Choice of cool white or warm white light
- Constant mode with multiple brightness settings
- Multiple speed modes with adjustable brightness
- 2 x 1m LED light strips with magnets and cable ties
- 1 x remote control (with in-line sensor)
- 1 x 5m cable/1 x 3m cable/1 x 60cm cable/1 x 30cm cable
- 1 x UK plug (approx. 1m cable)
- 1 x 12V cigarette socket (approx. 3m cable)



PREMIUM ACCESSORIES TO ENHANCE YOUR OUTDOOR SPACE

View full details at www.sunncamp.co.uk – available to purchase from your Supplying Dealer

Optional Luxury Padded Breathable Awning Carpets

(see individual product entries for availability/product code)

Complement your awning with our specially woven luxury awning carpets, adding a touch of extravagance to your outdoor adventure (design/pattern may vary).



Optional Storm Bar Kits with integral PVC pockets


(see individual product entries for availability/product code)

Storm bar kits are available for various models, providing additional rigidity and support during windy or adverse weather conditions.




Optional Multi-purpose Eva Mat Flooring – includes edging (JW7000)

Enhance your awning with our Eva Mat Flooring. Each tile is 61 l x 61 w x 1.2cm h and is supplied in a pack of four with eight edging strips.



Optional Breathable Awning Groundsheet (see individual product entries for availability/product code)

A breathable groundsheet is available for most awnings. It can be used on its own or underneath your Luxury Awning Carpet or Eva Mat Flooring to help keep them clean.



Optional Footprint Groundsheet


(see individual product entries for availability/product code)

If your tent or awning features a sewn-in groundsheet, you can purchase a separate footprint groundsheet to place beneath it, helping to keep the main groundsheet clean and protected.



Optional Canopy Poles (DT0032)

Many SunnCamp awnings and tents feature a canopy door option. To use this feature, you will need our optional steel canopy poles. Adjustable height 1.5m-2m.



Optional Heavy Duty Steel Upright Canopy Pole (DT0031)

This extra-strong canopy pole features an adjustable height of 100cm-200cm. Sold individually. Two poles are required to canopy-out your awning or tent door.

PREMIUM ACCESSORIES TO ENHANCE YOUR OUTDOOR SPACE


View full details at www.sunncamp.co.uk – available to purchase from your Supplying Dealer

Optional Buckle-Fit Sun Canopy (SF2004)

See page 27 for additional information

Our Buckle-Fit Sun Canopy simply buckles onto the attachment points sewn into your awning or canopy's flysheet and can be fitted to either side – or both.

- ACE-TECH 75D fabric (waterproof/fire retardant)
- Buckles onto either or both sides of 'SC' porch awnings
- Includes guy lines and pegs
- Includes poles



Optional Swift/Dash Inner Tent (SF1905)

Check individual product entry for compatibility.

Fits following models: Swift Air Extreme SC/Swift Air SC/Dash Air SC/Swift Air Sun Canopy SC/Swift Deluxe SC/Swift Sun Canopy SC/Swift Verao Air Van SC/Swift Verao 260 Van SC.



Optional CASA ANNEX Inner Tent (SC000)

Manufactured from high-quality T/C material and finished with a hard-wearing PE floor enhanced durability.

- Fits: Casa Annex


Other Optional Inner Tents

A range of inner tents are available including pop up inner tents.

See www.sunncamp.co.uk for full details.

Optional Awning/Tent Tidy (AC6320)

A practical organiser is available with multiple pockets, designed to hang inside your tent or awning to keep small essentials tidy and within reach.



Optional Roof Lining

(See individual product entries for availability/code)

An optional roof lining is available for many caravan awnings, enhancing insulation, minimizing condensation, and creating a cosier, more comfortable interior.




Optional Buckle-Fit Sun Canopy PLUS (SF2005)

See page 27 for additional information

Our Buckle-Fit Sun Canopy PLUS simply buckles onto the attachment points sewn into your awning or canopy's flysheet and can be fitted to either side – or both.

- ACE-TECH 75D fabric (waterproof/fire retardant)
- Buckles on either or both sides of 'SC' porch awnings
- Multiple setup options
- Max. protected floor space 180cm depth x 390cm length
- Includes guy lines and pegs
- Includes two sets adjustable poles



Optional Handy Awning Organiser (SF601)

With multiple pockets this organiser can be hung inside a tent or awning, keeping small items accessible and off the floor.



PREMIUM ACCESSORIES TO COMPLETE YOUR SUNNCAMP SETUP

View full details at www.sunncamp.co.uk – available to purchase from your Supplying Dealer

12V Electric Pump (AC3000)

For those who prefer a completely effortless setup, our optional 12V Electric Pump (with a 10m cable) offers rapid inflation for your Air Volution awning or tent. Powered by your vehicle's 12V socket, it inflates your product quickly and reliably, cutting out automatically at your chosen pre-set pressure (maximum psi 16).



Air Volution Awning Packing Pads (AC2020)

Designed to fill the gap between the end of your Air Volution awning air poles and your van. Simply slide or wedge the pads between the inflatable air poles and the vehicle side to create a tighter seal, improve roof tension for better water run-off, and help prevent damage to awning fabric or vehicle paintwork.



Webbing Straps with Reflective Strip

(Grey - DT0096/Yellow - DT0067)

Your awning comes with guy lines and/or webbing straps (see individual product entry). If your awning does not include webbing straps, these can be purchased separately as an optional extra for use with the awning's built-in sewn-on buckles. They are also available as replacement spares, as webbing straps naturally need to be renewed over time.



Air Volution Storm Buckles (DT0083)

For older SunnCamp Air Volution awnings/tents—or if you wish to add extra webbing straps—these clever clips attach to the product's existing guy line tabs, allowing the use of our webbing straps (DT0096 / DT0067).



8

Awning Tie Down Set (DT0051)

While we advise taking your awning down if severe weather is expected, this Tie Down Set offers added protection in the event of an unexpected change in conditions. It helps secure your awning during normal use and provides extra stability against unforeseen gusts.



Pole Volution Velcro-on Storm Buckles (DT0082)

For older SunnCamp poled awnings/tents - or when additional webbing straps are desired - these Velcro-on buckles wrap securely around the poles, enabling use of our webbing straps (DT0096 / DT0067).



9

PREMIUM ACCESSORIES TO COMPLETE YOUR SUNNCAMP SETUP

View full details at www.sunncamp.co.uk – available to purchase from your Supplying Dealer

Additional Quick Fix Bracket Pads (FT3098)


Additional Quick Fix Brackets are available to purchase from your Supplying Dealer for use with our CASA awnings.



10

Figure of 8 Extrusion – 74cm (DT0070)

Designed for use with drive-away motorhome or campervan awnings, this accessory connects your awning to your vehicle. The figure-of-8 extrusion forms a secure link by attaching to the awning's beading on one side and your vehicle's awning rail (or another attachment point, such as a C-rail) on the other. When needed, the awning can be quickly detached by simply pulling out the figure-of-8, leaving the awning in place while you drive away



Drive-away Awning Kit (DT0084)

85(L)cm x 50(D)cm

Platinum Wheel Arch Cover (DT0041)

85(L)cm x 46(D)cm

- Lever action suction caps

- Beading to take figure of 8 extrusion

- Includes figure of 8 (85L cm)

Awning

Awning channel

Double edged beading tape


Figure of 8

Awning

Awning channel

Double edged beading tape

Figure of 8



Platinum Double Axle Wheel Arch Cover (DT0080)

164(L)cm x 50(D)cm

- For use on twin axle caravans
- Lever action suction pads
- Beading to take figure of 8 extrusion
- Includes figure of 8 (2 x 85L cm)

Magnetic Drive-away Adaptor Kit (DT0020)

For use with drive-away motor/campervan awnings, our kit comprises of 3 metres of double-sided beading 4mm/6mm/4 x figure 8 (75cm each)

Use this kit to securely attach your freestanding awning to your campervan/motorhome. The kit allows you to quickly detach your vehicle and drive-away while leaving your awning standing. Upon return, simply re-attach your vehicle.

Awning

Awning channel

Double edged beading tape

Figure of 8

Awning

Awning channel

Double edged beading tape

Figure of 8

Awning

Awning channel

Double edged beading tape

Figure of 8

Awning

Awning channel

Double edged beading tape

Figure of 8

Awning

Awning channel

Double edged beading tape

Figure of 8

Awning

Awning channel

Double edged beading tape

Figure of 8

Awning

Awning channel

Double edged beading tape

Figure of 8

Awning

Awning channel

Double edged beading tape

Figure of 8

Awning

Awning channel

Double edged beading tape

Figure of 8

Awning

Awning channel

Double edged beading tape

Figure of 8

Awning

Awning channel

Double edged beading tape

Figure of 8

Awning

Awning channel

Double edged beading tape

Figure of 8

Awning

Awning channel

Double edged beading tape

Figure of 8

Awning

Awning channel

Double edged beading tape

Figure of 8

Awning

Awning channel

Double edged beading tape

Figure of 8

Awning

Awning channel

Double edged beading tape

Figure of 8

Awning

Awning channel

Double edged beading tape

Figure of 8

Awning

Awning channel

Double edged beading tape

Figure of 8

Awning

Awning channel

Double edged beading tape

Figure of 8

Awning

Awning channel

Double edged beading tape

Figure of 8

Awning

Awning channel

Double edged beading tape

Figure of 8

Awning

Awning channel

Double edged beading tape

Figure of 8

Awning

Awning channel

Double edged beading tape

Figure of 8

Awning

Awning channel

Double edged beading tape

Figure of 8

Awning

Awning channel

Double edged beading tape

Figure of 8

Awning

Awning channel

Double edged beading tape

Figure of 8

Awning

Awning channel

Double edged beading tape

Figure of 8

Awning

Awning channel

Double edged beading tape

Figure of 8

Awning

Awning channel

Double edged beading tape

Figure of 8

Awning

Awning channel

Double edged beading tape

Figure of 8

Awning

Awning channel

Double edged beading tape

Figure of 8

Awning

Awning channel

Double edged beading tape

Figure of 8

ICON AIR® Full Touring Awning

Compatible with ICON AIR® ANNEXE (SI1000)



Features:


- Air Volution Single Inflation Technology
- 300D PRO-TEK Fabric/300D Enhanced Roof Fabric (waterproof/fire retardant)
- Secondary mesh on both side doors
- Fully removable panels (all with veranda option) dependant on size (950 - 975 = 4 panels, 975 - 1100cm = 5 panels)
- Zip-in mesh panels provided for all zip-out panels
- Optional annexe available (SI1000)- fits either side of awning (includes twilight inner tent)
- Multi-zip curtains on all windows
- Vertical storm pole pockets
- LED light pockets (for optional LED Lighting System) on all roof bars
- External peggable mud wall for extra weather protection (PVC mesh)
- Pre-attached storm buckles and reflective strip webbing straps
- Draught skirt with ventilation panels
- Includes 4 x packing pads
- Manual pump included
- Carry/storage bag
- Pegs for main pegging points




Expertly designed with removable panels and annexe options to suit a variety of needs

Layout:

Size: 950-975cm **(Size 13)**



Size: 975-1100cm **(Size 14-18)**



Available Sizes:

Size 13 (SI 2013)	Size 14 (SI 2014)	Size 15 (SI 2015)	Size 16 (SI 2016)	Size 17 (SI 2017)	Size 18 (SI 2018)
950 - 975cm	975 - 1000cm	1000 - 1025cm	1025 - 1050cm	1050 - 1075cm	1075 - 1100cm

Optional Luxury Carpet

BC1020	BC1021	BC1022	BC1023	BC1024	BC1025
--------	--------	--------	--------	--------	--------

Optional Roof Lining

SF4010	SF4011	SF4012	SF4013	SF4014	SF4015
--------	--------	--------	--------	--------	--------


Air Volution



Vast living space

Add space with our optional
ICON AIR ANNEXE
(SI1000)

Floor Plan - showing Optional Annexe



The Icon Air® has been designed as a full touring awning; however, we do not recommend it for permanent use. We also advise against siting it on permanent-style pitches, as natural contact and friction can cause damage to the awning's base materials.

Includes Pump with gauge and dump valve

Includes Storm Buckles & Straps

Includes Veranda Pole

Includes Draught Skirt

Includes AIR Flow Zip In/Out Ventilation Panels

Includes Packing Pads

Optional Extras Available:

- Optional annexe - includes twilight inner tent (SI1000)
- Optional roof fitting (see table entry)
- Optional luxury carpet (see table entry)
- Optional veranda pole (D009B)
- Optional LED Lighting System/Addon Kit (E301/2)
- Optional 2V electric pump (AC000)
- Optional awning arch cover (D034/4/80)
- Optional additional packing pads (AC020)
- Optional storm poles (D052-B)



SunCamp

www.suncamp.co.uk

ESTEEMED AIR® Full Touring Awning


Compatible with ESTEEMED AIR® ANNEXE (SI1000)



Features:

- Air Volution Single Inflation Technology
- 300D PRO-TEK/300D Enhanced Roof fabric (waterproof/fire retardant)
- Removable interchangeable side panels with secondary mesh
- Fully removable panels (all with veranda option) dependant on size (950 - 975 = 4 panels, 975 - 1100cm = 5 panels)
- Optional annexe available (SI1000) - fits either side of awning (includes twilight inner tent)
- Multi-zip curtains on all windows
- Vertical storm pole pockets
- LED light pockets (for optional LED Lighting System) on all roof bars

12




Optional Extras Available:

- Optional annexe (SI1000) fits either side of awning (includes twilight inner tent)
- Optional luxury carpet (see table entry)
- Optional veranda pole (D0091B)
- Optional LED Lighting System/Adaptor Kit (EL301/2)
- Optional 12V electric pump (A3000)
- Optional weather cover (D0034/4/8/0)
- Optional parking pads (A2020)
- Optional storm poles (D0052-B)


13

Layout:

Size: 950-975cm **(Size 13)**



Size: 975-1100cm **(Size 14-18)**



Available Sizes:

Size 13 (SE 2013) **Size 14 (SE 2014)** **Size 15 (SE 2015)** **Size 16 (SE 2016)** **Size 17 (SE 2017)** **Size 18 (SE 2018)**

950 - 975cm 975 - 1000cm 1000 - 1025cm 1025 - 1050cm 1050 - 1075cm 1075 - 1100cm

Optional Luxury Carpet

BC1033

BC1034

BC1035


BC1036

BC1037

BC1038

Air Volution

Floor Plan - showing Optional Annexe



Our ESTEEMED AIR® features our advanced **Air Volution Single Inflation Technology** and is crafted from durable, high-density **300D PRO-TEK** fabric, delivering four times the tensile strength of standard materials. With a 250cm depth and large crystal-clear windows paired with multi-zip privacy curtains, it offers bright, comfortable living space. All panels can be set veranda style or zipped out entirely for added flexibility. An **Air Annexe** can be fitted to either side to provide extra storage or sleeping accommodation. A range of optional extras is also available to enhance and personalise your outdoor adventure.

The Esteemed Air® has been designed as a full touring awning; however, we do not recommend it for permanent use. We also advise against siting it on permanent-style pitches, as natural contact and friction can cause damage to the awning's base materials.

Includes Pump with gauge and dump valve



Includes Storm Buckles & Straps



Includes Draught Skirt



www.suncamp.co.uk

INCEPTOR AIR® EXTREME 390 (SF1900)

Compatible with AIR ANNEXE PLUS (SF7813), APART AIR ROOM- Right/Left Fit (SF8008-R/SF8008-L)




Features:

- Air Volution Single Inflation Technology
- 300D PRO-TEK fabric/300D Enhanced Roof Fabric (waterproof/fire retardant)
- Removable zip out front panels
- Interchangeable, removable side panels with secondary mesh
- Two zip in/out airflow panels (1x front left/1x front right)
- Veranda option on all panels (1 x pole included)
- Optional annexe available (SF7813)- fits either side of awning (includes twilight inner tent)
- Optional Apart-air available – left and right-fit (SF8008-R/SF8008-L)
- Curtains on all windows - multi-zip curtains on front windows
- LED light pockets on storm bars (for optional LED Lighting System)
- External peggable mud wall for extra weather protection (PVC mesh)
- Pre-attached storm buckles and reflective strip webbing straps
- Vertical storm pole pockets x 2
- Draught skirt
- Manual pump included
- Carry/storage bag
- Pegs for main pegging points
- **Fits Rail Height Range: 235cm-250cm**



Flexible design with removable panels
and annexes to shape your ideal outdoor space



Air Volution

Add space with our
APART-AIR ROOM

Add space with our optional
AIR ANNEXE PLUS
(SF7813)



Shown with ApartAir (left hand fit)

Our Inceptor Air Extreme is built with our advanced **Air Volution Single Inflation Technology** and crafted from our durable, high-density **300D PRO-TEK** fabric for exceptional strength and reliability. For added versatility, an optional **Air Annexe** can be fitted to either side, providing valuable storage or additional sleeping space. Alternatively, our full-height **Apartment Air Rooms** - available in both left-fit and right-fit configurations—offer expanded living space for a more comfortable setup. This awning gives you the flexibility to create your ideal holiday environment.

Includes Pump
with gauge and dump valve

Includes Storm Buckles & Straps

Includes Veranda Pole

Includes AIR Flow
Zip In/Out Ventilation Panels x2



WINNER
BEST CARAVAN PORCHAWNING
SUNCAMP



www.suncamp.co.uk

Optional Extras Available:

- Optional annexe (SF7813)- fits either side of awning (includes twilight inner tent)
- Optional annexe breathable groundsheet (DT066)
- Optional APARTAIR Room (SF8008-R/SF8008-L)
- Breathable groundsheet (Inceptor) - DT055
- Breathable groundsheet (Apartment Air Room) - DT037
- Optional luxury carpet (BC1010)
- Apart Air Room luxury carpet (BC1014)
- Optional veranda pole (DT099B)
- Optional LED Lighting System/Addon Kit (EL301/2)
- Optional 12V electric pump (AC300)
- Optional waterproof cover (DT034/4/8/0)
- Optional packing pads (AC20)
- Optional veranda storm pole (DT052-53)

SWIFT AIR EXTREME SC 390/325 (SF2001/SF2002)

Compatible with BUCKLE-FIT SUN CANOPY (SF2004) /BUCKLE-FIT SUN CANOPY PLUS (SF2005)




Features:

- Air Volution Single Inflation Technology
- 300D PRO-TEK Fabric/300D Enhanced Roof Fabric (waterproof/fire retardant)
- Secondary mesh on both side doors
- Roll-up front door with canopy option (poles optional extra)
- Multi-zip curtains on main window/zip curtains on side windows
- Vertical storm pole pocket and pole (390 model only)
- LED light pockets on storm bars (for optional LED Lighting System) - 390 x 3/325 x 1
- External peggable mud wall for extra weather protection (PVC mesh)
- Pre-attached storm buckles and reflective strip webbing straps
- Draught skirt
- Manual pump included
- Carry/storage bag
- Pegs for main pegging points
- **Fits Rail Height Range: 235cm-250cm**

16

Floor Plan



Optional
2 BERTH
INNER
TENT
(SF1905)



Optional
INNER TENT AND ROOF
LINING AVAILABLE



Superior performance, thoughtfully designed for ease

	390	325
Approx. Pack Size:	80cm x 32cm	80cm x 30cm
Approx. Weight:	19kg	13kg

The **Swift Air Extreme SC** is an upgraded version of our popular **Swift Air SC** awnings, using our **Single Air Volution Technology** and durable **300D PRO-TEK** fabric, complete with our Enhanced Roof Profile fabric, PVC mesh mud wall, and zipped window curtains. It is also compatible with our **Buckle-Fit Sun Canopy** and our **Buckle-Fit Sun Canopy PLUS**, which can be fitted on either side or both to extend your protected outdoor area (see page 27 for full details).



390

Optional Extras Available:

- Optional Buckle-Fit Sun Canopy (SF2004)
- Optional Buckle-Fit Sun Canopy PLUS (SF2005)
- Optional two-piece storm bar set with light sleeves (35-S78/3/9-S78)
- Optional two berth inner tent (SF1905)
- Optional roof lining (35-S206/239-S2063)
- Optional breathable groundsheet (390-DT038/35-DT053)
- Optional luxury carpet (390-BC100/325-BC1006)
- Optional LED Lighting System/Addon Kit (EL301/2)
- Optional canopy poles (D0032)
- Optional rear end poles (T0052)
- Optional 12V electric pump (AC3000)
- Optional parking pads (AC2020)



WINNER
BEST CARAVAN PORCHAWNING
SUNCAMP



www.suncamp.co.uk

Air
Volution

ULTIMA PRO AIR® 390/260 (SF2304/SF2305)

Compatible with ULTIMA PRO POLED ANNEXE (SF2306)




Features:

- Air Volution Multi Inflation Technology
- 300D PRO-TEK Fabric (waterproof/fire retardant)
- Dual Height System (DHS)
- Dual Beading System (DBS) 7.2mm/4.2mm
- Optional right side fit annexe (SF2306) – (includes twilight inner tent)
- Secondary mesh on both side doors
- Removable right-side panel with veranda/annexe option
- Roll-up front door(s) with canopy option (poles optional extra)
- Curtains on all windows
- Air Storm bars – 390 x 4/260 x 2
- Vertical storm pole pocket (390 model only – pole optional extra)
- LED light pockets on storm bars (for optional LED Lighting System) – 390 x 4/260 x 2
- External peggable mud wall for extra weather protection (PVC mesh)
- Pre-attached storm buckles and reflective strip webbing straps
- Draught skirt
- Manual pump included
- Carry/storage bag
- Pegs for main pegging points
- **Fits Rail Height Range: 235cm-265cm**



Floor Plans



	390	260	Annexe
Approx. Pack Size:	80cm x 45cm	82cm x 40cm	80cm x 18cm
Approx. Weight:	22kg	18kg	7kg

Integrated 'Dual Height System' (DHS)
designed to fit most caravans and motorhomes

**DUAL
HEIGHT
SYSTEM**
FITS
235cm-265cm



Optional
POLED
ANNEXE
AVAILABLE
(SF2306)

The Ultima Pro Air® delivers enhanced performance thanks to our **Air Volution Multi Inflation Technology** and robust **300D PRO-TEK** fabric. Its **Dual Beading System (DBS)**, combined with the new **Dual Height System (DHS)**, allows it to fit most pre-fitted caravan rails as well as motorhomes equipped with a wind-out awning (please check compatibility with your supplying dealer). For additional storage or sleeping space, an optional right-fit annexe is available and comes complete with a twilight inner tent. Both doors feature secondary mesh panels, and the front panels can be rolled up or extended to create a canopy.

ULTIMA PRO AIR POLED ANNEXE (SF2306)

Breathable Annexe Groundsheet Available: DT0066

Includes Twilight Inner Tent



Includes Pump with gauge and dump valve

Includes Storm Buckles & Straps

Includes Draught Skirt

Includes AIR Storm Bars x4 390

Includes AIR Storm Bars x2 260

Optional Extras Available:

- Optional right side fit annexe (SF2306 - includes twilight inner tent)
- Optional annexe breathable groundsheet (DT0066)
- Optional roof fitting (390-SF2307/20-SF2041)
- Optional breathable groundsheet (390-DT008/20-DT007)
- Optional luxury carpet (390-C1003/20-BC1004)
- Optional caravan pole (DT009-1B)
- Optional LED Lighting System/Addon Kit (EL301/2)
- Optional caravan poles (DT0013)
- Optional rear pole (DT0002)
- Optional 12V electric pump (AC3001)
- Optional parking pads (AC2020)
- Optional storm pole - 390 model only (DT052-B)



SWIFT AIR SC 390/325/260/220 (SF2026/SF2027/SF2028/SF2029)

Compatible with BUCKLE-FIT SUN CANOPY (SF2004) /BUCKLE-FIT SUN CANOPY PLUS (SF2005)

20




Features:

- Air Volution Multi Inflation Technology
- ACE-TECH150D fabric (waterproof/fire retardant)
- Secondary mesh on both side doors
- Roll-up front door with canopy option (poles optional extra)
- Curtains on all windows
- Air storm bars – 390 x 3/325 x 1
- Vertical storm pole pocket and pole (x 1 - 390 model only)
- LED light pockets on storm bars (for optional LED Lighting System) – 390 x 1/325 x 1
- External peggable mud wall for extra weather protection
- Pre-attached storm buckles and reflective strip webbing straps
- Draught skirt
- Manual pump included
- Carry/storage bag
- Pegs for main pegging points
- **Fits Rail Height Range: 235cm-250cm**



Floor Plans



	390	325	260	220
Approx. Pack Size:	79cm x 32.5cm	69cm x 31cm	65cm x 30cm	64cm x 29cm
Approx. Weight:	13kg	11kg	10kg	8kg

Air Volution



See page 27 for full info on BUCKLE-FIT CANOPIES

Optional Extras Available:

- Optional Buckle-Fit Sun Canopy (SF2004)
- Optional Buckle-Fit PLUS Sun Canopy (SF2005)
- Optional two piece storm bar set with light sleeve (390SF778/9/2/5-SF778/8/60-SF778/6/2/0-SF785)
- Optional complete 390 model only (DT052B)
- Optional two berth inner tent (SF1905)
- Optional roof lining (SF020/3/2/5-SF202/2/0-SF021/2-SF201)
- Optional breathable groundsheet (390-DT038/3/2-DT035/2/0-DT037/2/0-DT046)
- Optional luxury carpet (390-B010/3/2-B0100/6/20-B010/4/2-B0103)
- Optional LED Lighting System/Addon Kit (EL301/2)
- Optional canopy poles (DT032)
- Optional rear end poles (DT002)
- Optional 21V electric pump (AC001)
- Optional parking pads (AC020)



www.suncamp.co.uk

ULTIMA VERSARA AIR 390/260 DELUXE (SF2033/SF2034)

Compatible with ULTIMA VERSARA DELUXE POLED ANNEXE (SF2035)




Features:

- Air Volution Multi Inflation Technology
- ACE-TECH 150D fabric (waterproof/fire retardant)
- Optional right side fit annexe (SF2035) – (includes twilight inner tent)
- Secondary mesh on both side doors
- Removable right-side panel with veranda/annexe option
- Roll-up front door(s) with canopy option (poles optional extra)
- Curtains on all windows
- Air Storm bars – 390 x 4/260 x 2
- Vertical storm pole pocket (390 model only – pole optional extra)
- LED light pockets on storm bars (for optional LED Lighting System) -390 x 4/260 x 2
- External peggable mud wall for extra weather protection
- Pre-attached storm buckles and reflective strip webbing straps
- Draught skirt
- Manual pump included
- Carry/storage bag
- Pegs for main pegging points
- **Fits Rail Height Range: 235cm-250cm**

22



Floor Plans



	390	260	Annexe
Approx. Pack Size:	82cm x 40cm	82cm x 37cm	80 X 20cm
Approx. Weight:	17.9kg	13.7kg	7kg

CONTEMPORARY
NEW DESIGN

A contemporary new design inspired by our best-selling
Versara Air Awnings - compatible with a right-fit annexe



Our **Ultima Versara Air®** range has been updated with a redesigned two-panel front, replacing the older three-panel configuration for a more contemporary appearance and improved light. Offered in 390cm and 260cm widths, the **Ultima Versara Air Deluxe** also delivers enhanced headroom and is compatible with the right-hand fit poled **Ultima Versara Deluxe Annexe**.

ULTIMA VERSARA POLED ANNEXE

(SF2035)

Breathable Annexe Groundsheet
Available: DT0066

Includes
Twilight Inner Tent



Includes Pump
with gauge and dump valve

Includes
Storm Buckles & Straps

Includes
Draught Skirt

Includes
AIR Storm Bars
X4 390
Includes
AIR Storm Bars
X2 260

Optional Extras Available:

- Optional right side fit poled annexe (SF2035 - includes twilight inner tent)
- Optional annexe breathable groundsheet (DT0066)
- Optional roof lighting (SF2040/260-SF2041)
- Optional breathable groundsheet (390-DT008/260-DT007)
- Optional luxury carpet (390-B100/260-BC1004)
- Optional veranda pole (DT009-B)
- Optional LED lighting system add on kit (EL301/2)
- Optional canopy poles (DT003)
- Optional rear pole (DT005)
- Optional 12V electric pump (AC300)
- Optional parking pads (AC202)
- Optional storm pole - 390 model only (DT052-B)



www.suncamp.co.uk

DASH AIR SC 390/325/260/220 (SF2069/SF2068/SF2030/SF2031)

Compatible with BUCKLE-FIT SUN CANOPY (SF2004) /BUCKLE-FIT SUN CANOPY PLUS (SF2005)




Features:

- Air Volution Multi Inflation Technology
- ACE-TECH 75D fabric (waterproof/fire retardant)
- Roll-up front door with canopy option (poles optional extra)
- Curtains on all windows
- Air storm bars – 390 x 3/325 x 1
- Vertical storm pole pocket (390 model only – pole optional extra)
- External peggable mud wall for extra weather protection
- Pre-attached storm buckles and reflective strip webbing straps
- Draught skirt
- Manual pump included
- Carry/storage bag
- Pegs for main pegging points
- **Fits Rail Height Range: 235cm-250cm**

24



Floor Plans



	390	325	260	220
Approx. Pack Size:	78cm x 31cm	68cm x 30cm	64cm x 29cm	63cm x 28cm
Approx. Weight:	12.6kg	10.6kg	9.6kg	7.6kg



Manufactured using our **Air Volution Multi Inflation Technology** and durable **ACE-TECH 75D** fabric, the Dash Air SC range combines modern styling with reliability and ease of use. Available in four sizes, it offers a practical solution to suit a variety of setups.

Standard features include pre-attached storm buckles and straps, curtains on all windows, and an external peggable mud wall for added protection against the elements.

All sizes are also compatible with our **BUCKLE-FIT SUN CANOPY** and **BUCKLE-FIT SUN CANOPY PLUS**, allowing for quick and simple extension on one or both sides (see page 27 for full details).

Includes Pump with gauge and dump valve

Includes Storm Buckles & Straps

Includes Draught Skirt

Includes AIR Storm Bars **x3**

Includes AIR Storm Bars **x1**

Includes AIR Storm Bars **x325**

Optional Extras Available:

- Optional Buckle-Fit Sun Canopy (SF2004)
- Optional Buckle-Fit Sun Canopy PLUS (SF2005)
- Optional two-piece stormbar set with light sleeve – (390-SF778/325-SF778/20-SF778/20-SF785)
- Optional two berth inner tent (SF1905)
- Optional roof lining (SF2062-SF2062-SF2062)
- Optional breathable groundsheet (SF03-DT03/8/25-DT03/5/260-DT03/7/220-DT046)
- Optional luxury carpet (SF1003-SF1006-SF1006-SF1003)
- Optional LED Lighting System/Addon Kit (EL301/2)
- Optional awning poles (D0032)
- Optional rear pad poles (D0052)
- Optional 12V electric pump (AC0300)
- Optional parking pads (AC2020)
- Optional storm pole – 390 model only (DT0523B)



SWIFT AIR SUN CANOPY SC 390/325/260 (SF2012/SF2011/SF2013)

Compatible with BUCKLE-FIT SUN CANOPY (SF2004)/BUCKLE-FIT SUN CANOPY PLUS (SF2005)




Features:

- Air Volution Multi Inflation Technology
- ACE-TECH 150D fabric (waterproof/fire retardant)
- Dual Beading System (DBS) 7.2mm/4.2mm
- Air storm bars without light sleeves- 390 x 3/325 x 1
- Zip open roll-up-side panels
- External peggable mud wall for extra weather protection
- Pre-attached storm buckles and reflective strip webbing straps
- Manual pump included
- Carry/storage bag
- Pegs for main pegging points
- **Fits Rail Height Range: 235cm-250cm**



Floor Plans



	390	325	260
Approx. Pack Size:	80cm x 26cm	80cm x 24cm	80cm x 22cm
Approx. Weight:	10kg	9.8kg	9.5kg


Includes Pump with gauge and dump valve

Includes Storm Buckles & Straps

Includes AIR Storm Bars **x3** 390

Includes AIR Storm Bars **x1** 325

Air Volution



Swift Air Sun Canopy Optional Extras

- Optional Buckle-Fit Sun Canopy (SF2004)
- Optional Buckle-Fit Sun Canopy PLUS (SF2005)
- Optional two-piece storm bar set with light sleeves - (390-SF7789/325-SF7788/260-SF7786) (required to utilize LED Lighting System/Add-on Kit)
- Optional roof lining (390-SF2063/325-SF2062/260-SF2061)
- Optional breathable groundsheet (390-DT0038/325-DT0053/260-DT0037)
- Optional luxury carpet (390-BC1008/325-BC1006/260-BC1004)
- Optional LED Lighting System/Add-on Kit (EL3001/2)
- Optional 12V electric pump (AC3000)
- Optional packing pads (AC2020)

	SF2004	SF2005
Approx. Pack Size:	67cm x 10cm	67cm x 13cm
Approx. Weight:	2.2kg	4kg

Pictured: Buckle-Fit Sun Canopy

BUCKLE-FIT SUN CANOPY/BUCKLE-FIT SUN CANOPY PLUS

(SF2004/SF2005) Compatible with ALL SUNNCAMP 'SC' MODELS (SF2005)



Buckle-Fit Sun Canopies

Easy to set-up and ideal for creating a tailored outdoor area, these ingenious sun canopies allow you to extend your protected outdoor space whenever needed. Each canopy simply buckles onto the attachment points sewn into your awning or canopy's flysheet and can be fitted to either side - or both.



Our **Buckle-Fit Sun Canopy PLUS** offers multiple configuration options and can be pitched in a variety of ways to suit your specific requirements. Please see individual entries for compatibility.



Features:


- ACE-TECH 75D fabric (waterproof/fire retardant)

- Buckle-Fit to your awning/sun canopy

- Carry/storage bag

- Guy lines

- Pegs



CASA® Full Touring Awning

Compatible with CASA ANNEXE (SC1000)




Features:

- Pole Volution Frame System
- 300D PRO-TEK fabric (waterproof/fire retardant)
- Steel frame (25mm/22mm with plastic clamps)
- Secondary mesh on both side doors
- Two fully removable front panels (with veranda option)
- Veranda Pole x 1 included
- Removable side panels (with annexe option)
- Optional annexe available (SC1000)- fits either side of awning
- Multi-zip curtains on all windows
- Internal mud wall (PVC mesh)
- Pre-attached storm buckles and 2 x reflective strip webbing straps
- Draught skirt
- Quick Fix Bracket Pads
- Carry/storage bag
- Pegs for main pegging points

28

Floor Plan



Pole Volution



Available Sizes:

	Size 13 (SC 1013)	Size 14 (SC 1014)	Size 15 (SC 1015)	Size 16 (SC 1016)	Size 17 (SC 1017)	Size 18 (SC 1018)
	950 – 975cm	975 – 1000cm	1000 – 1025cm	1025 – 1050cm	1050 – 1075cm	1075 – 1100cm
Optional Luxury Carpet	BC1043	BC1044	BC1045	BC1046	BC1047	BC1048
Optional Roof Lining	SF4016	SF4017	SF4018	SF4019	SF4020	SF4021
Approx. Pack Size Canvas	112 x 25.5 x 25.5cm	112 x 26 x 26cm	112 x 27 x 27cm	112 x 28 x 28cm	112 x 29 x 29cm	112 x 30 x 30cm
Approx. Net Weight Canvas	21kg	21.40kg	21.80kg	22.20kg	22.60kg	23.00kg
Approx. Pack Size Frame	125 x 26 x 16.5cm	125 x 25 x 17.5cm	125 x 25 x 17.5cm	125 x 25 x 17.5cm	125 x 26 x 19cm	125 x 26 x 19cm
Approx. Weight Frame	18.6kg	22.2kg	22.2kg	22.2kg	25.5kg	25.5kg

Annexe: Approx. Pack Size: 108cm 27cm / Approx. Weight: 12.3kg



Classic design – adaptable living

Our **Casa®** full touring awnings deliver outstanding value, combining a traditional, dependable poled design with long-lasting durability caravanners trust. Expertly manufactured from our robust **300D PRO-TEK** fabric, the **Casa** is packed with practical features, including multi-zip curtains, side doors with removable secondary mesh panels and full compatibility with the **Casa Annexe**. The awning also includes two fully removable front panels, each offering a veranda option for added versatility.

The **Casa** awning has been designed as a Full Touring Awning, we do not recommend it be sited for permanent use.



Includes
Storm Buckles & Straps



Includes
Veranda Pole



Includes
Draught Skirt

Optional Extras Available:

- Optional annexe (SC1000)- fits either side of awning
- Optional annexe inner tent (SC1001)
- Optional roof lining (Seatable)
- Optional luxury carpet (Seatable)
- Optional veranda pole (1D-T0105/4-1/6: DT0105B/1-7-8:DT0105C)
- Quick Fix Brackets (F308)
- Casa Webbing Straps (D1004)
- Optional LED Lighting System/Addon Kit (EL301/2)
- Optional wheel arch cover (D0084/4/8/0)



www.suncamp.co.uk

ULTIMA VERSARA 390/260 DELUXE (SF2032/SF2039)

Compatible with ULTIMA VERSARA DELUXE ANNEXE (SF2035)




Features:

- Pole Volution Frame System
- ACE-TECH 150D fabric (waterproof/fire retardant)
- Fibreglass frame with steel roof poles
- Optional right-side fit annexe (SF2035)
- Secondary mesh on both side doors
- Removable right-side panel with veranda/annexe option
- Roll-up front door(s) with canopy option (poles optional extra)
- Curtains on all windows
- External pegitable mud wall for extra weather protection
- Pre-attached storm buckles (webbing straps optional extra)
- Draught skirt
- Pegs for main pegging points
- **Fits Rail Height Range: 235cm-250cm**



Floor Plans



**ADD SPACE WITH OUR
OPTIONAL POLED ANNEXE**
(SF2035)

Pole
Volution

ULTIMA VERSARA DELUXE POLED ANNEXE

(SF2035)

Breathable Annexe Groundsheet
Available: DT0066

Includes

Twilight Inner Tent



A modern new design inspired by our
best-selling Versara -compatible with a right-fit annexe

**CONTEMPORARY
NEW DESIGN**



An upgraded evolution of our original **Ultima Versara** awning, the **Ultima Versara Deluxe** features a contemporary restyle with two panels instead of three with larger windows for a brighter, more modern look. This poled model is available in two sizes - 390cm and 260cm - and offers a well-balanced profile with generous head height throughout. It is also compatible with our **Ultima Versara Poled Annexe**, which fits to the right-hand side to provide additional sleeping or storage space.

	390	260	Annexe
Approx. Pack Size:	82cm x 31cm	82cm x 27cm	80cm X 20cm
Approx. Weight:	15.5kg	11.8kg	7kg

Includes
Internal Roof Bars

x4 390

Includes
Internal Roof Bars

x2 260

Includes
Draught Skirt

Includes
Storm Buckles

Optional Extras Available:

- Optional right-side fit poled annexe (SF2035 - includes twilight inner tent)
- Optional annexe breathable groundsheet (DT0066)
- Optional roof lighting (SF2040/2040-SF2041)
- Optional breathable groundsheet (SF2038/2038-DT0037)
- Optional luxury carpet (SF20410/BC1004)
- Optional veranda pole (DT0019-B)
- Optional LED lighting System/Addon Kit (EL3011/2)
- Optional canopy poles (DT0032)
- Optional rear pole (DT0002)
- Optional webbing straps - yellow (DT0067) grey (DT0096)
- Spare roof poles: 390-DT030/260-DT029



www.suncamp.co.uk

TOLDO 390 (SF2017)

Compatible with TOLDO ANNEXE (SF2019)





Features:

- Pole Volution Frame System
- ACE-TECH 75D fabric (waterproof/fire retardant)
- Fibreglass and steel frame
- Steel roof poles x 3 included
- Optional annexe available (SF2019)- fits either side of awning (includes twilight inner tent)
- Roll-up front door with canopy option (poles optional extra)
- Fully removable side panels with veranda/annexe option
- Curtains on all windows
- External peggable mud wall for extra weather protection
- Storm buckles (webbing straps optional extra)
- Draught skirt
- Carry/storage bag
- Pegs for main pegging points
- **Fits Rail Height Range: 235cm-250cm**

32



Floor Plans



Pole Volution

ADD SPACE WITH
OUR OPTIONAL
TOLDO ANNEXE
(SF2019)



The **Toldo** porch awning is an **adaptation of our popular Swift Deluxe SC awning**, featuring a unique profile that allows for two fully removable side doors. This versatile design enables the optional **Toldo Annexe** to be fitted on either side — or both — creating valuable additional sleeping or storage space.

	390	Annexe
Approx. Pack Size:	80cm x 30cm	69cm x 22cm
Approx. Weight:	14kg	7.5kg

Includes Storm Buckles Includes Draught Skirt Includes x3 Roof Poles

Optional Extras Available:

- Optional annexe (SF2019)- fits either side of awning (includes twilight inner tent)
- Optional annexe breathable groundsheet DT0066
- Optional roof pole DT0095
- Optional breathable groundsheet DT0383
- Optional luxury carpet (B1008)
- Optional veranda pole DT0193B
- Optional LED lighting System/ add-on kit (E1001/2)
- Optional canopy poles DT0032
- Optional veranda poles DT0052
- Optional webbing straps - yellow (DT067) grey (DT096)

33



www.suncamp.co.uk

SWIFT DELUXE SC 390/325/260/220 (SF2064/SF2065/SF2066/SF2067)

Compatible with BUCKLE-FIT SUN CANOPY (SF2004) / BUCKLE-FIT SUN CANOPY PLUS (SF2005)



Features:


- Pole Volution Frame System
- ACE-TECH 75D fabric (waterproof/fire retardant)
- Steel and fibreglass frame
- 390 model x 3 roof bars included
- Roll-up front door with canopy option (poles optional extra)
- Two side doors on all models (390 and 325 only with secondary mesh)
- Curtains on all windows
- External peggable mud wall for extra weather protection
- Storm buckles (webbing straps optional extra)
- Draught skirt
- Carry/storage bag
- Pegs for main pegging points
- Fits Rail Height Range: 235cm-250cm**

34



Product shown with optional Buckle-Fit sun Canopy (SF2004)

Floor Plans



	390	325	260	220
Approx. Pack Size:	79cm x 26cm	79cm x 24cm	78cm x 22cm	78cm x 21cm
Approx. Weight:	11.5kg	7.7kg	6.8kg	6.3kg
Roof Poles [DT0091-B]	3 included/ 2 optional	1 optional	1 optional	1 optional

Pole Volution

**OPTIONAL
ROOF
LINING
AVAILABLE**



Optional
2 BERTH
INNER
TENT
(SF1905)

Our renowned SWIFT DELUXE awnings – dependable,
simple to pitch and effortless to pack away

Includes
Storm Buckles

Includes
Draught Skirt

Includes

Roof Poles

x3

390

390

Optional Extras Available:

- Optional Buckle-Fit Sun Canopy (SF2004)
- Optional Buckle-Fit Sun Canopy PLUS (SF2005)
- Optional roof pole (DT0091-B)
- Optional two berth inner tent (SF1905)
- Optional roof lining (SF2063/2065/2066/2067)
- Optional breathable groundsheet (SF2063/2065/2066/2067/2068)
- Optional luxury carpet (SF2063/2065/2066/2067/2068)
- Optional LED Lighting System/Addon Kit (EL301/2)
- Optional canopy poles (DT0032)
- Optional rear roof poles (DT0052)
- Optional webbing straps – yellow (DT0067) or grey (DT096)

35



www.suncamp.co.uk

SWIFT SUN CANOPY SC 390/330/260/200 (SF8000/SF8004/SF7690/SF1914)

Compatible with BUCKLE-FIT SUN CANOPY (SF2004) / BUCKLE-FIT SUN CANOPY PLUS (SF2005)



Features:


- Pole Volution Frame System
- ACE-TECH 75D fabric (waterproof/fire retardant)
- Steel and fibreglass frame
- 390 – roof pole x 1
- External peggable mud wall
- Storm buckles (webbing straps optional extra)
- Carry/storage bag
- Pegs for main pegging points
- **Fits Rail Height Range: 235cm-250cm**

36



LUXURY BREATHABLE CARPETS AVAILABLE FOR MOST MODELS

Floor Plans



	390	330	260	220
Approx. Pack Size:	79cm x 26cm	79cm x 24cm	78cm x 22cm	78cm x 21cm
Approx. Weight:	11.5kg	7.7kg	6.8kg	6.3kg
Roof Poles (DT0091-B)	1 included/ 2 optional	3 optional	none required	none required



Optional Extras Available:

- Optional Buckle-Fit Sun Canopy (SF2004)
- Optional Buckle-Fit Sun Canopy PLUS (SF2005)
- Optional roof pole (DT0091-B) - 390 x 2/30 x 3
- Optional beachable groundsheet (390-DT0038/325-DT0032/60-DT0037/220-DT0046)
- Optional luxury carpet (390-B0008/325-BC1006/20-B0004/220-B003)
- Optional LED Lighting System/Addon Kit (EL001/2)
- Optional webbing straps - yellow (DT007) grey (DT008)

37



www.suncamp.co.uk

Pole Volution

Includes Storm Buckles

Includes Roof Poles

x1 390

SUNNSHIELD SUN CANOPY PLUS 390/280/240

(SF8017/SF8018/SF8019)



Features:

- Pole Volution Frame System
- 300D PRO-TEK Fabric (waterproof/fire retardant)
- Steel legs
- Attaches directly to van
- Dual Beading System (DBS) 7.2mm/4.2mm **(240 model only)**
- Roll-up front panel
- Maximum front height 200cm
- Guy lines
- Carry/storage bag
- Pegs for main pegging points

Optional Extras Available:

- Optional LED Lighting System/Add-on Kit (EL3001/2)

A versatile sun canopy that can be configured to accommodate your specific needs. Designed for direct attachment to vans, offering flexible protection, the integrated front panel can be rolled up or positioned to shield you from the sun/elements. The **240 model** includes our **Dual Beading System (DBS)** allowing it to fit most pre-fitted rails and additionally to fit most wind-out blinds (please consult your Supplying Dealer for specific fitment confirmation).



FITS
CARAVANS AND
MOTORHOMES
240 model

SUNNSHIELD SUN CANOPY 390/280/240

(SF8003/SF8002/SF8001)



Features:

- Pole Volution Frame System
- 300D PRO-TEK Fabric (waterproof/fire retardant)
- Steel legs
- Attaches directly to van
- Dual Beading System (DBS) 7.2mm/4.2mm **(240 model only)**
- Maximum front height 200cm
- Guy lines
- Carry/storage bag
- Pegs for main pegging points

Optional Extras Available:

- LED Lighting System/Add-on Kit (EL3001/2)

A simple and practical sun canopy that attaches directly to your van. The **240 model** features our **Dual Beading System (DBS)**, allowing it to fit to most pre-fitted rails and additionally connects to many of the wind-out blinds on the market - please check compatibility with your Supplying Dealer.



FITS
CARAVANS AND
MOTORHOMES
240 model

DUAL BEADING
SYSTEM
7.2MM/4.2MM
240 model

ARCO SUN CANOPY 260 (SF2021)




Our **Arco Sun Canopy** can be pitched at variable heights, providing flexible setup options (footprint depth will vary when used outside the 220cm–265cm height range). Designed with smooth, modern curve appeal, it features roll-up zip front panels with an optional canopy configuration. Our **Dual Beading System (DBS)** allows compatibility with most pre-fitted rails and wind-out blinds on the market; please consult your Supplying Dealer to confirm fitment.

- Pole Volution Frame System
- ACE-TECH 150D fabric (waterproof/fire retardant)
- Fibreglass frame/steel roof poles
- Dual Beading System (DBS) 7.2mm/4.2mm
- Fibreglass and steel frame (includes 2 x steel roof poles)
- 2 x roll-up doors with canopy option (poles optional extra)
- Storm buckles (webbing straps optional extra)
- Carry/storage bag
- Pegs for main pegging points
- **Fits Rail Height Range: ideal - 220cm-265cm with 240cm depth**
- **Will fit higher or lower rails with varying depth**
- **Approx. Pack Size: 78cm x 20cm**
- **Approx. Weight: 8kg**

Features:

- Pole Volution Frame System
- ACE-TECH 150D fabric (waterproof/fire retardant)
- Fibreglass frame/steel roof poles
- Dual Beading System (DBS) 7.2mm/4.2mm
- Fibreglass and steel frame (includes 2 x steel roof poles)
- 2 x roll-up doors with canopy option (poles optional extra)
- Storm buckles (webbing straps optional extra)
- Carry/storage bag
- Pegs for main pegging points
- **Fits Rail Height Range: ideal - 220cm-265cm with 240cm depth**
- **Will fit higher or lower rails with varying depth**
- **Approx. Pack Size: 78cm x 20cm**
- **Approx. Weight: 8kg**

Floor Plan



Includes
Storm Buckles



Includes
Roof Poles



Flexible set up



Pole
Volution



www.sunnCamp.co.uk

PROTEKTA 7/10/13 FT (SF7771/SF7772/SF7773)



The **Protekta Sun Canopy** is manufactured in our **150D Oxford Ripstop fabric** and designed for those seeking a simple and convenient fair-weather sunshade. The canopy unfolds directly from its protective storage bag, the frame secures easily into position, and with the guy lines pegged, you are ready begin your holiday. There are optional wall packs available (see table).

Features:

- Pole Volution Frame System
- 150D OXFORD RIPSTOP Fabric
- Aluminium frame
- Approximate projection: 218cm
- Front legs adjustable height: 192cm/204.5cm/217cm/229.5cm
- Storage bag
- Guy lines
- Pegs for main pegging points

7FT/ front wall
+ 2 side walls

10FT/ front wall
+ 2 side walls

13FT/ front wall
+ 2 side walls

Approx. Pack Size:	110cm x 10cm x 20cm	162cm x 10cm x 20cm	208cm x 10cm x 20cm
Approx. Weight:	4.6kg	5.7kg	6.8kg
Low - 192cm - 204cm	Optional SF7832	Optional SF7834	Optional SF7836
High - 217cm - 229.5cm	Optional SF7833	Optional SF7835	Optional SF7837
Roof Support/leg pole	Optional DT0092	Optional DT0092	Optional DT0092

Pole
Volution



Optional
ROOF/SUPPORT
LEG POLE
(DT0092)



Product shown with optional wall pack



www.sunnCamp.co.uk

SWIFT VAN AIR® SUN CANOPY Low – SF2303



Quick-fit, non-drive-away sun canopy with award-winning **Air Volution Technology** and our **Dual Beading System (DBS)**—fits most pre-fitted or aftermarket rails and wind-out blinds (check with your dealer for compatibility).

Features:

- Air Volution Multi Inflation Technology
- Non-drive-away
- ACE-TECH150D fabric (waterproof/fire retardant)
- Dual Beading System (DBS) 6.2mm/4.2mm
- Roll-up zipped side panels
- External peggable mud wall
- Pre-attached storm buckles and reflective strip webbing straps
- Manual pump included
- Carry/storage bag
- Pegs for main pegging points
- Fits Rail Height Range: 185cm-200cm**
- Approx. Pack Size: 67cm x 27cm**
- Approx. Weight: 6.9kg**


Optional Extras Available:

- Optional breathable groundsheet (DT0037)
- Optional luxury carpet (BC1004)
- Optional LED Lighting System/Add-on Kit (EL3001/2)
- Optional packing pads (AC2020)
- Optional 12v pump (AC3000)

Air Volution



Floor Plan



Includes Pump
with gauge and dump valve

Includes
Storm Buckles & Straps



www.sunncamp.co.uk

SWIFT VERAO AIR VAN 260 SC Tall: SF2024/ Low SF2025

Compatible with **BUCKLE-FIT SUN CANOPY** (SF2004) / **BUCKLE-FIT SUN CANOPY PLUS** (SF2005)




Our renowned **Swift Porch Awning** design has been expertly adapted to fit **motorhomes and campervans**, resulting in a versatile and highly practical awning solution. The **Swift Verao Air Van** is available in two height options and provides reliable outdoor shelter while seamlessly extending your living space.

Features:

- Manual pump included
- Carry/storage bag
- Pegs for main pegging points
- Fits Rail Height Range:**
Low: 185cm-200cm
Tall: 250cm-265cm
- Approx. Pack Size:**
65cm x 30cm
- Approx. Weight: 10kg**

Floor plan:



Includes Pump
with gauge and dump valve

Includes
Storm Buckles & Straps



Optional Extras Available:

- Optional Buckle-Fit Sun Canopy (SF2004)
- Optional Buckle-Fit Sun Canopy PLUS (SF2005)
- Optional two-piece storm bar set with light sleeves (Low -SF211)
- Optional roof pole (DT0091-B)
- Optional two berth inner tent (SF1905)
- Optional breathable groundsheet (DT0037)
- Optional luxury carpet (BC1004)
- Optional LED Lighting System/Add-on Kit (EL3001/2)
- Optional canopy poles (DT0032)
- Optional packing pads (AC2020)
- Optional 12v pump (AC3000)



www.sunncamp.co.uk



Optional
2 BERTH INNER
TENT (SF1905)



www.sunncamp.co.uk

SWIFT VAN 325 Drive-away

Tall:SF8045 / Low:SF8044




Developed from our hugely successful **Swift Deluxe SC** caravan awning range, the **Swift Van 325** Awning offers the same ease of use, style, and exceptional value for money. Available in both tall and low height fittings, it features **wheelchair-accessible entry**, airflow doorways, and a roll-up front door with secondary mesh and a canopy option. Practical, versatile, and dependable, this awning has quickly become a firm favourite within our range.

- Roll-up front door with secondary mesh
- Two side doorways with airflow mesh
- Front door with secondary mesh
- Curtains
- Zipped end access

Established favourite drive-away Awning with wheelchair access door

ution Frame System CH 75D fabric roof/fire retardant)	<ul style="list-style-type: none"> • Tunnel privacy screen • Cable entry point and tidy system • External peggable mud wall for extra weather protection • Storm buckles (webbing straps optional extra) • Figure of 8 • Carry/storage bag • Pegs for main pegging points 	<ul style="list-style-type: none"> • Optional footprint groundsheets • Optional luxury carpet (BC100) • Optional LED Lighting System Add-on Kit (EL3001/2) • Optional canopy poles (DT003) • Optional webbing straps - yellow (DT0067) grey (DT0096) • Optional drive-away awning kit • Optional magnetic drive-away (DT0200)
d fibreglass frame g 1 x roof pole n groundsheets or with wheelchair		
front door with canopy poles optional extra)		
e doors with secondary	<p>Fits Rail Height Range:</p> <p>Tall Fits: 240cm-270cm</p> <p>Low Fits: 180cm-210cm</p>	
oor with secondary	<ul style="list-style-type: none"> • Approx. Pack Size: 80cm x 28cm • Approx Weight: 11kg 	<p>Floor Plan</p> 
s on all windows ear access panel		

1000



JETTE 225 (SF7870) R PLUS Drive-away



te 225 Motor PLUS is a compact **Drive-Away** model designed for straightforward, hassle-free pitching. In a modest size, it offers an impressive range of features including a sewn-in groundsheet, an **extra-wide** entrance for easy access, large side windows for enhanced visibility, and a built-in **eyebrow porch** for added weather protection.


Features

- Pole evolution frame system
- ACE-TECH 75D fabric (waterproof/fire retardant)
- Steel and fibreglass frame
- Sewn-in groundsheet
- Extra-large roll-back front door with eyebrow porch
- Large side window x1 and large side window with ventilation x1
- Curtains on all windows
- Zipped rear access panel
- Tunnel privacy screen

Optional Extras Available

- Optional footprint groundsheet (FC1058)
- Optional carpet (CC1139)
- Optional LED Lighting System/
Add-on Kit (EL3001/2)
- Optional webbing straps –
yellow (DT0067) grey (DT0096)
- Optional drive-away awning kit (DT0084)
- Optional magnetic drive-away adaptor kit
(DT0200)

ze: Floor



100



MOTOR BUDDY 250 (SF7777) Drive-away



Compact, practical, and incredibly useful, the **Motor Buddy 250** works perfectly as a walk-through entrance or a dedicated storage annexe. It gives you the extra room you need—whether you are away for a weekend or settling in for a longer stay.

Includes
Figure of 8 Fixing

Ideal as a walk-through entrance or handy storage annexe



Pole Volution


Features:

- Pole Volution Frame System
- ACE-TECH 75D fabric (waterproof/fire retardant)
- Fibreglass frame
- Roll-up or canopy-out front door (poles optional extra)
- Side panels include half window, half mesh ventilation (with external roll-up/down window cover)
- Zipped rear access panel
- Figure of 8
- Carry/storage bag
- Pegs for main pegging points
- **Fits Rail Height Range: up to 240cm**
- **Approx. Pack Size: 76cm x 19cm**
- **Approx. Weight: 7.8kg**

Optional Extras Available:

- Optional breathable groundsheet (DT0056)
- Optional LED Lighting System/Add-on Kit (EL3001/2)
- Optional drive-away awning kit (DT0084)
- Optional magnetic drive-away adaptor kit (DT0200)

Floor Plan



LODGE 200 MOTOR (SF7776) Drive-away



Our smallest motor annexe, the **Lodge 200 Motor**, offers a compact footprint while still delivering a host of practical features. Designed for effortless pitching and pack-down, it provides convenient extra space without adding complexity to your setup.

Includes
Figure of 8 Fixing



A perfect solution for those seeking a balance of minimal size and maximum features


Features:

- Pole Volution Frame System
- ACE 75D Fabric (waterproof/fire retardant)
- Fibreglass frame
- Roll-up or canopy out front door (poles optional extra)
- Sewn-in groundsheet
- Side window with ventilation
- Curtains on all windows
- Zipped rear access panel
- Figure of 8
- Carry/storage bag
- Pegs for main pegging points
- **Fits Rail Height Range: up to 240cm**
- **Approx. Pack Size: 69cm x 20cm**
- **Approx. Weight: 8.1kg**

Optional Extras Available:

- Optional canopy pole set (DT002)
- Optional LED Lighting System/Add-on Kit (EL3001/2)

Floor Plan



www.sunncamp.co.uk



www.sunncamp.co.uk



www.sunncamp.co.uk

SWIFT VEROA 260 VAN SC

Tall: SF1917 / Low: SF1916

Compatible with BUCKLE-FIT SUN CANOPY (SF2004) / BUCKLE-FIT SUN CANOPY PLUS (SF2005)



Our 'Award Winning Swift Porch Awning Design' has been adapted to create our Swift Veroa SC 260 Van Awning creating a quick fit **Non-Drive-Away** awning. It has our **Dual Beading System (DBS)** allowing it to fit onto most pre-fitted/aftermarket rails/wind-out blinds on the market (please check compatibility with your Supplying Dealer).

Boost your space by pairing it with our **Buckle-Fit Sun Canopy** or **Buckle-Fit Sun Canopy PLUS**. Attach them to one or both sides to expand your covered outdoor area in seconds (see page 27 for full details).

48

Features:

- Pole Volution Frame System
- ACE-TECH 75D fabric (waterproof/fire retardant)
- Dual Beading System (DBS) 6.2mm/4.2mm
- Steel and fibreglass frame
- Non-drive-away
- Roll-up front door with canopy option (poles optional extra)
- Two side doors
- Curtains on all windows
- External pegging mud wall for extra weather protection
- Storm buckles (webbing straps optional extra)
- Carry/storage bag
- Pegs for main pegging points
- Fits Rail Height Range:**
- Tall: Fits 250cm-265cm**
- Low: Fits 185cm-200cm**
- Approx. Pack Size:** 69cm x 29cm
- Approx. Weight:** 9.6kg

Includes Storm Buckles

Pole Volution




Easy to pitch and take down – Dual Beading System for extensive compatibility

Optional Extras Available:

- Optional Buckle-Fit Sun Canopy (SF2004)
- Optional Buckle-Fit Sun Canopy PLUS (SF2005)
- Optional two berth inner tent (SF1905)
- Optional breathable groundsheet (DT0037)
- Optional luxury carpet (BC1004)
- Optional LED Lighting System/ Add-on Kit EL3001/2
- Optional canopy poles (DT0032)
- Optional roof pole x 1 (DT0091-B)
- Optional webbing straps – yellow (DT0067) grey (DT0096)
- Optional drive-away awning kit (DT0084)
- Optional magnetic drive-away adaptor kit (DT0200)

Floor Plan



www.sunnCamp.co.uk

SWIFT VAN CANOPY SC 260

Tall: SF1915 / Low: SF8016

Compatible with BUCKLE-FIT SUN CANOPY (SF2004) / BUCKLE-FIT SUN CANOPY PLUS (SF2005)



Designed as a quick-fit, non-drive-away shelter, this model features our innovative **Dual Beading System (DBS)** for easy attachment to most pre-fitted or aftermarket rails, as well as fitted wind-out blinds (please confirm compatibility with your Supplying Dealer). With its rapid pitch and pack-down, it is the perfect fair-weather shelter.

Expand your outdoor space by pairing it with our **Buckle-Fit Sun Canopy** or **Buckle-Fit Sun Canopy PLUS**. Attach to one or both sides to instantly increase your outdoor covered area in seconds (see page 27 for full details).

49

Features:

- Pole Volution Frame System
- ACE-TECH 75D fabric (waterproof/fire retardant)
- Dual Beading System (DBS) 6.2mm/4.2mm
- Steel and fibreglass frame
- Non-drive-away
- Two side windows
- External pegging mud wall
- Storm buckles (webbing straps optional extra)
- Carry/storage bag
- Pegs for main pegging points
- Fits Rail Height Range:**
- Tall: 250cm-265cm**
- Low: 185cm-200cm**
- Approx. Pack Size:** 77cm x 15cm
- Approx. Weight:** 6.5kg



Stylish Canopy with Dual Beading System for extensive compatibility – easy and quick to pitch

Optional Extras Available:

- LED Lighting System/ Add-on Kit (EL3001/2)
- Webbing straps – yellow (DT0067) grey (DT0096)
- Buckle-Fit Sun Canopy (SF2004)
- Drive-away awning kit (DT0084)
- Breathable groundsheet (DT0037)
- Magnetic drive-away adaptor kit (DT0200)

Floor Plan



www.sunnCamp.co.uk

SILHOUETTE 200 (SF1329)



Our **Silhouette 200 tent** is ideal for solo campers or couples, offering a **standing height of 180 cm** and a pre-fitted inner tent for quick and simple setup.

Includes
Storm Buckles Includes
Twilight Inner Tent

Compact, standing-height tent designed for comfort and convenience, ideal for one or two campers



Pole
Volution

Features:

- Pole Volution Frame System
- ACE-TECH 75D fabric (waterproof/fire retardant)
- Steel and fibreglass frame
- Centre height: 180cm
- Sewn-in groundsheet
- Pre-fitted twilight inner tent
- Extra-large roll-back front door
- Front eyebrow porch
- Large side window half PVC/half mesh (with external window cover)
- Back ventilation panel (with external window cover)
- Carry/storage bag
- Pegs for main pegging points
- **Approx. Pack Size: 64cm x 24cm**
- **Approx. Weight: 10.6kg**

Optional Extras Available:

- Optional footprint groundsheet (FC1039)
- Optional carpet (CC1139)
- Optional LED Lighting System/Add-on Kit (EL3001/2)

UTILITY BUDDY (SF3031)



Practical and easy to pitch, our **Utility Buddy** is manufactured from durable **75D ACE-TECH** fabric and supported by a lightweight fibreglass frame for reliable performance. Thoughtfully designed features include a roll-back 'J' door, windows with external covers for privacy and protection, and handy internal storage pockets, making it a smart, functional addition to your setup.

Features:

- Pole Volution Frame System
- ACE-TECH 75D fabric (waterproof/fire retardant)
- Fibreglass frame

Handy utility tent for storage etc




Pole
Volution

UTILITY LODGE (SF3032)



Built on a strong steel frame, the **Utility Lodge** includes a rear vent panel, a roll-up front door with canopy option, and a supplied groundsheet - simple, durable, and highly practical.

- Rear vent panel
- Carry/storage bag
- Pegs for main pegging points
- **Approx. Pack Size: 16cm x 22cm**
- **Approx. Weight: 1kg**



51

51

WIND PROTECTION, ADDED PRIVACY, AND DEFINED OUTDOOR SPACE

DISCOVER OUR WINDBREAK RANGE

WINDJAMMER (SF3029)



Features:

- 75D ACE-TECH fabric
- Approx Size: 500Lcm x 140H cm
- Steel poles
- Carry/storage bag
- Guy lines
- Pegs
- **Approx. Pack Size: 59cm x 6cm**
- **Approx. Weight: 2.5kg**



EASY WINDBREAK (WB1500)



Features:

- Approx. size: 500Lcm x 134H cm
- Steel poles
- Carry/storage bag
- Guy lines
- Pegs
- **Approx. Pack Size: 59cm x 5cm**
- **Approx. Weight: 1.2kg**



STRIPEY WINDBREAKS (SF3029)



Features:

- Strong rot-proof polyethylene fabric
- Fire retardant fabric
- Strong wooden poles
- Carry/storage bag

Code	Description	Approx. Size
WB1410	4 pole windbreak	224Lcm x 90Hcm
WB1411	5 pole windbreak	287Lcm x 90Hcm
WB1422H	6 pole windbreak	372Lcm x 120Hcm
WB1423H	8 pole windbreak	462Lcm x 120Hcm
WB1424H	10 pole windbreak	610Lcm x 120Hcm



ESSENTIAL CAMPING & CARAVAN ACCESSORIES AVAILABLE FROM SUNNCAMP

View full details at www.sunncamp.co.uk – available to purchase from our Supplying Dealer

Low Watt Cordless Jug Kettle



Low Watt Toaster



DeLuxe Mobile Supply Unit



High Pressure 12V Electric Air Pump




Ideal for all
AIR
Awnings
and AIR
Tents

Various
sizes and
prints
available



Sleeping Bags

SunnCamp has a comprehensive range
of sleeping bags available in different sizes
(including childrens) weights and patterns



ICON AIR® ESTEEMED AIR® ULTIMA® SWIFT®

All weights, sizes, plans, and colours shown in this catalogue are provided for guidance only and are approximate. SunnCamp reserves the right to amend specifications as deemed necessary without notice. Designed in the UK

OWNER SATISFACTION AWARDS 2025

The Camping and Caravanning Club
The Friendly Club

Winner
The Camping and Caravanning Club
Owner Satisfaction Awards 2025

BEST CARAVAN PORCH AWNINGS
SUNNCAMP

OWNER SATISFACTION AWARDS 2025

The Camping and Caravanning Club
The Friendly Club

Highly Commended
The Camping and Caravanning Club
Owner Satisfaction Awards 2025

BEST CARAVAN FULL AWNINGS
SUNNCAMP